ENDMENTS TO THE CLAIMS

This listing of claims will respace all prior versions and listings of claims in the application.

Listing of Claims:

- 1. (Currently Amended) A container neck comprising:
 - a finish terminating in an opening;
- a circumferential upper sidewall connected to said finish at an end opposite said opening;
 - a lower sidewall below said upper sidewall; and
- a <u>hollow annular</u> flange extending radially outward<u>ly</u> between said upper and said lower sidewalls, wherein the flange includes undulations <u>in</u> [[on]] a top surface <u>thereof</u>, <u>at least a portion of</u> the undulations extending radially outward<u>ly and downwardly</u> from said upper sidewall <u>to</u> strengthen the container neck.
- 2. (Original) The container neck of claim 1, wherein said undulations comprise peaks and valleys.
 - 3. (Original) The container neck of claim 2, wherein said undulations are arcuate.
- 4. *(Original)* The container neck of claim 3, wherein said undulations form an approximately sinusoidal wave at the point of connection with said upper sidewall.
- 5. (*Original*) The container neck of claim 2, wherein said undulations have linear sides and a substantially triangular shape.
- 6. (*Original*) The container neck of claim 1, further comprising threads disposed on an outer surface of said finish.
- 7. (*Previously Presented*) The container neck of claim 1, wherein said flange comprises a ledge extending beyond an outer periphery of said undulations.
 - 8. (Previously Presented) The container neck of claim 1, wherein the container is

Larry TAYLOR et al. - 2 - 10/752,538

- 9. (Original) The container neck of claim 2, comprising eight peaks.
- 10. (Currently Amended) A container comprising

a neck portion comprising

a finish terminating in an opening;

a circumferential upper sidewall connected to said finish at an end opposite said opening;

a lower sidewall below said upper sidewall; and

a <u>hollow annular</u> flange extending radially outward<u>ly</u> between said upper and said lower sidewalls, wherein the flange includes undulations <u>in</u> [[on]] a top surface <u>thereof</u>, <u>at least a portion of</u> the undulations extending radially outward<u>ly and downwardly</u> from said upper sidewall <u>to strengthen</u> the neck portion;

a transition region extending from the neck portion to a tubular container sidewall portion; and

a base portion below said container sidewall portion.

- 11. (Previously Presented) The container of claim 10, wherein said undulations are arcuate.
- 12. *(Original)* The container of claim 11, wherein said undulations form an approximately sinusoidal wave at the point of connection with said upper sidewall.
- 13. (*Original*) The container of claim 10, wherein said undulations are linear forming a triangular shape.
- 14. (Original) The container of claim 10, further comprising threads disposed on an outer surface of said finish.
 - 15. (Original) The container of claim 10, wherein said undulations comprise peaks

Larry TAYLOR et al. - 3 - 10/752,538

and valleys.

- 16. (*Previously Presented*) The container of claim 10, wherein the container is adapted for hot fill processing.
- 17. (*Previously Presented*) The container of claim 10, wherein said flange comprises a ledge extending beyond an outer periphery of said undulations.
 - 18. (Original) The container of claim 15, comprising eight peaks.
- 19. *(Previously Presented)* The container of claim 10, said container sidewall portion comprising four substantially planar panels wherein opposite planar panels are substantially parallel.
- 20. (*Previously Presented*) The container of claim 19, wherein the container sidewall portion comprises an inset between two adjacent planar panels.
- 21. *(Previously Presented)* The container of claim 19, wherein said container sidewall portion comprises an arcuate panel connecting two adjacent planar panels.
- 22. (*Original*) The container of claim 21, further comprising an inset in the arcuate panel between two adjacent panels.
- 23. *(Original)* The container of claim 22, comprising two insets in arcuate panels that are diagonally disposed from one another.
- 24. *(Original)* The container of claim 10, said container sidewall comprising an upper bumper and a lower bumper and an inset region between said upper bumper and said lower bumper.

25-31. (Canceled)